Appendix 1: Search terms

Population: Sex Workers:

MESH: SEX WORK OR "sex work*" OR "female sex work*" OR "male sex work*" OR "trans* sex work*" OR "migrant sex work*" MESH: PROSTITUTION OR prostitut* OR "rent boy*" OR "gay for pay" OR "commercial sex work*" OR esco#rt OR "massage parlo#r" OR "sell* sex" OR "sold sex" OR "exchang* sex" OR "sex trade" OR "sex industry" OR "adult entertainment industry" OR MESH: TRANSACTIONAL SEX OR "transactional sex" OR "red light district" OR "street walker" OR gigolo OR "call girl" OR hustler OR "sex performer"

Interventions:

MESH: COUNSELING OR counselling OR therap* OR MESH INTERVENTION OR intervention* OR MESH PREVENTION prevent* OR "peer support" OR MESH: BEHAVIOUR CHANGE OR "behavio#r change" OR MESH: THERAPEUTICS OR treat* OR service OR MESH: HEALTH SERVICES ACCESSIBILITY OR access OR MESH: RISK REDUCTION BEHAVIOR OR "risk reduction" OR MESH: HEALTH EDUCATION OR educat* OR advice OR program*OR evaluat* OR MESH: HEALTH PROMOTION "health promot*" OR MESH: MOTIVATIONAL INTERVIEWING "motivational interviewing" OR MI OR MESH: COGNITIVE BEHAVIORAL THERAPY OR "cognitive behavio#ral therapy" OR CBT OR MESH: ACCEPTANCE AND COMMITMENT THERAPY OR "acceptance and commitment therapy" OR ACT OR MESH: EYE MOVEMENT DESENSITIZATION THERAPY OR "eye movement desensiti#ation and reprocessing" OR EMDR OR "emotion focused therapy" OR MESH: MINDFULNESS OR mindful* OR psych* OR MESH: PSYCHOEDUCATION "psycho-education" OR "skills training" OR MESH:SOCIAL SKILLS OR "social skills" OR group OR MESH: SOCIAL SUPPORT OR "social support" OR outreach

Outcomes: Wellbeing:

MESH: WELBEING OR wellbeing OR well-being OR "well being" OR MESH: HEALTH OR health OR MESH: MENTAL HEALTH OR "mental health" OR "emotional health" OR MESH: DEPRESSION OR depression OR MESH: ANXIETY OR anxiety OR MESH:QUALITY OF LIFE OR "quality of life" OR qol OR "health-related quality of life" OR "health related quality of life "OR hqol OR MESH:SELF ESTEEM "self-esteem" OR "self esteem" OR MESH: CONFIDENCE / SELF CONCEPT OR confidence OR MESH: SAFE SEX OR "safe* sex" OR "personal safety" OR MESH: PHYSICAL HEALTH OR "physical health" OR equality OR MESH: EMPOWERMENT OR empower* OR "service engagement" OR MESH: DISTRESS OR distress OR MESH: COPING / COPING BEHAVIOR /PSYCHOLOGICAL ADAPTATION OR coping

Appendix 2: Inclusion and exclusion criteria

PICO	Inclusion	Exclusion			
Р	Study population:				
	 Sex workers (male, female, trans, migrant) People engaging in exchange or transactional sex 	 Non-sex workers People who do not engage in exchange or transactional sex Sex workers under the age of 18 			
	Country: • First world countries: UK, USA, Canada, Australia, New Zealand	 Sex trafficking / sexual exploitation / coercive sex work Second world countries: Russia, HONG KONG, China, South Asia (Afghanistan, Iran, India, Nepal, Pakistan, Sri Lanka, Bangladesh, Bhutan and Maldives), Uzbekistan, Turkmenistan, Armenia, South East Asia (Brunei, Malaysia, Myanmar, Singapore, Thailand, Cambodia, Laos, Indonesia, Papa New Guinea, Vanuatu, Vietnam, The Philippines) Korea, Eastern Europe (Czech Republic, Poland, Croatia, Slovakia, Hungary, Romania, Moldova, Serbia, Lithuania, Latvia, Estonia, Slovenia, Bulgaria, Ukraine, Belarus, Bosnia, Albania, Kosovo, Macedonia) Georgia, Turkey, Mongolia 			
		• Third world countries: Africa, Mexico, Latin and South America (Antigua and Barbuda, Argentina, Bahamas, Barbados, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Dominica, Ecuador, El Salvador, Grenada, Guatemala, Co-operative Republic of Guyana, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Panama, Paraguay, Peru, Santa Lucia, Federation of Saint Kitts and Nevis, Saint Vincent and the Grenadines, Suriname, Trinidad and Tobago, Uruguay, Venezuela) Central America, Puerto Rico, Thailand, South Africa			

Supplemental material

1	Psychosocial interventions:	Structural interventions:				
	 Individual or group counselling, 	De-criminalisation				
	Peer support	Community mobilisation				
	Behaviour change					
	Risk reduction	Economic interventions:				
	Harm minimisation	microfinancing				
	Health promotion					
	Psycho-education	Biomedical interventions:				
	 Drug and alcohol support 	Sexually Transmitted Infection (STI) screening				
	Skills training	 Periodic presumptive/treatment for STI's 				
	Outreach work.	 HIV pre- and post-exposure prophylaxis and vaccinations for Hepatitis B or Human Papillomavirus) were excluded. 				
	Study Design: Any un/published, qualitative/quantitative/mixed methods study that measures the effectiveness of a psychosocial intervention using validated psychological or quality of life measures	 Observational studies that do not assess any intervention effects Psychometric studies that validate wellbeing measurements but do not assess intervention effects Prevalence studies that do not assess intervention effects Systematic reviews Reviews, editorials, letters, commentaries, clinical guidelines 				
C	Outcome					
U	Outcome: Qualitative studies are eligible for inclusion if they report at least one measurable health outcome that can be externally validated: • Quality of Life (QoL) • Health related Quality of Life (HRQoL) • General Anxiety Disorder (GAD-7) • Patient Health Questionnaire (PHQ-9) • The Rosenberg Self-esteem scale (Rosenberg, 1965) • Trauma Screening Questionnaire (Brenwin, 2002).	 Self-reported measures Service attendance figures Results from sexual health screening / testing 				

Qualitative studies can be included if they report qualitative	
data evaluating the effectiveness of psychosocial interventions	
from the perspectives of sex workers themselves.	

Appendix 3: Data extraction form

The following data was extracted from each study:

- Author
- Year
- Aim
- Geographical location
- Sample size
- Sample characteristics
- Recruitment method
- Intervention
- Study design
- Outcome measures
- Data collection
- Data analysis
- Findings

Appendix 4: Effective Public Health Practice Project (EPHPP) quality assessment scores

Study authors and date Selection bias		Study design	Confounders	Blinding	Data collection	Withdrawals	Overall quality score
					methods	and drop outs	
Decker (2018)	Strong	Moderate	Weak	Weak	Strong	Moderate	WEAK
Gunn (2016)	Moderate	Moderate	Strong	Moderate	Strong	Weak	WEAK
Litchfield (2010)	Strong	Moderate	Weak	Weak	Strong	Strong	WEAK

Appendix 5: NICE Quality Appraisal Checklist for Qualitative Studies outcome scores

Study	Theoretical	Study	Data	Trustworthiness	Analysis	Ethics	Overall
author	approach	design	collection				assessment
& date							
Arnold	Appropriate /	Defensible	Appropriate	Unclear / Unclear / Reliable	Not rigorous / Poor / Unreliable /	Not Reported	(-)
(2000)	Clear				Convincing / Relevant / Inadequate		
Benoit	Appropriate /	Defensible	Appropriate	Clear / Clear / Reliable	Rigorous / Rich / Reliable / Convincing /	Appropriate	(++)
(2017)	Clear				Relevant / Adequate		
Bodkin	Appropriate /	Indefensible	Appropriate	Unclear / Clear / Unreliable	Not rigorous / Poor / Unreliable /	Appropriate	(-)
(2015)	Mixed				Convincing / Relevant / Adequate		
Decker	Appropriate /	Defensible	Inadequately	Clear / Unclear /Not sure	Rigorous / Poor / Unreliable /	Appropriate	(+)
(2018)	Mixed		documented		Convincing / Relevant / Adequate		
Jeal	Appropriate /	Indefensible	Appropriate	Clearly described / Clear /	Rigorous / Rich / Unreliable / Convincing	Inappropriate	(+)
(2017)	Clear			Unreliable	/ Relevant Adequate		
Felsher	Appropriate /	Defensible	Appropriate	Clearly described / Unclear /	Rigorous / Rich / Unreliable / Convincing	Appropriate	(+)
(2017)	Clear			Reliable	/ Relevant/ Adequate		
Preble	Appropriate /	Defensible	Appropriate	Clearly described / Clear /	Rigorous / Rich / Reliable / Convincing /	Appropriate	(++)
(2016)	Clear			reliable	Relevant / Adequate		
Wahab	Appropriate /	Defensible	Appropriate	Clearly described / Clear /	Rigorous / Rich / Reliable / Convincing /	Inappropriate	(+)
(2006)	Clear			Reliable	Relevant/ Adequate		